Ruthenium(II) and osmium(II) polypyridyl complexes of an asymmetric pyrazinyl- and pyridinyl-containing 1,2,4-triazole based ligand. Connectivity and physical properties of mononuclear complexes

Browne, Wesley R.; O'Connor, Christine M.; Hughes, Helen P.; Hage, Ronald; Walter, Olaf; Doering, Manfred; Gallagher, John F.; Vos, Johannes G.

Published in:
Journal of the Chemical Society, Dalton Transactions

DOI:
10.1039/b206667j

Publication date:
2002

```
data_md24
_database_code_CSD                  187996


_journal_coden_Cambridge      186

loop_
_publ_author_name
'J. Vos'
'Wesley R. Browne'
'Manfred Doering'
'J. F. Gallagher'
'Ronald Hage'
'Helen P. Hughes'
;
Christine M. O'Connor
;
'Olaf Walter'

_publ_contact_author_name       'Dr J Vos'
_publ_contact_author_address
;
School of Chemical Sciences
Dublin City University
Dublin
9
IRELAND
;

_publ_contact_author_phone        '0035317005307'
_publ_contact_author_fax          '0035317005503'
_publ_contact_author_email        'johannes.vos@dcu.ie'
_publ_requested_journal           'J. Chem. Soc. Dalton Trans.'
_publ_requested_coeditor_name     ?


_publ_contact_letter
;
?
;

#==============================================================================
# 3. TITLE AND AUTHOR LIST

_publ_section_title
;
Ruthenium(II) and Osmium(II) Polypyridyl Complexes of asymmetric
pyrazinyl- and pridinyl-1,2,4-triazole based ligands.
Part 1: Connectivity and physical properties of mononuclear complexes.
;


_audit_creation_method            SHELXL-97
_chemical_name_systematic
;
?
;
_chemical_name_common             ?
_chemical_formula_moiety          ?
_chemical_formula_sum
'C32 H26 F6 N10 O P Ru'
_chemical_formula_weight          813.67
```

```
loop_
_atom_type_symbol
_atom_type_description
_atom_type_scat_dispersion_real
_atom_type_scat_dispersion_imag
_atom_type_scat_source
'C'  'C'   0.0033   0.0016
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'H'  'H'   0.0000   0.0000
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'N'  'N'   0.0061   0.0033
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'F'  'F'   0.0171   0.0103
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'P'  'P'   0.1023   0.0942
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'Ru'  'Ru'  -1.2594   0.8363
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'O'  'O'   0.0106   0.0060
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

_symmetry_cell_setting           Triclinic
_symmetry_space_group_name_H-M    P-1
loop_
_symmetry_equiv_pos_as_xyz
'x, y, z'
'-x, -y, -z'
_cell_length_a                    9.9097(7)
_cell_length_b                    12.5731(9)
_cell_length_c                    14.1156(10)
_cell_angle_alpha                 93.8570(10)
_cell_angle_beta                  93.4100(10)
_cell_angle_gamma                 111.4390(10)
_cell_volume                      1626.6(2)
_cell_formula_units_Z             2
_cell_measurement_temperature     200(2)
_cell_measurement_reflns_used     ?
_cell_measurement_theta_min       ?
_cell_measurement_theta_max       ?
_exptl_crystal_description        block
_exptl_crystal_colour             red
_exptl_crystal_size_max           0.6
_exptl_crystal_size_mid           0.5
_exptl_crystal_size_min           0.4


_exptl_crystal_density_meas       ?
_exptl_crystal_density_diffrn     1.661
_exptl_crystal_density_method     'not measured'
_exptl_crystal_F_000              820
_exptl_absorpt_coefficient_mu     0.612
_exptl_absorpt_correction_type    ' psi-scans |saint|'
_exptl_absorpt_correction_T_min   ?
_exptl_absorpt_correction_T_max   ?

_exptl_special_details
;
?
;


_diffrn_ambient_temperature       200(2)
_diffrn_radiation_wavelength      0.71073
_diffrn_radiation_type            MoK\a
_diffrn_radiation_source          'fine-focus sealed tube'
```

```
_diffrn_radiation_monochromator   graphite
_diffrn_measurement_device_type   ' Siemens SMART 1000 CCD diffractometer'
_diffrn_measurement_method        w-scans
_diffrn_detector_area_resol_mean  ?
_diffrn_standards_number          ?
_diffrn_standards_interval_count  ?
_diffrn_standards_interval_time   ?
_diffrn_standards_decay_%         'no decay'
_diffrn_reflns_number             17142
_diffrn_reflns_av_R_equivalents   0.0185
_diffrn_reflns_av_sigmaI/netI     0.0243
_diffrn_reflns_limit_h_min        -12
_diffrn_reflns_limit_h_max        12
_diffrn_reflns_limit_k_min        -15
_diffrn_reflns_limit_k_max        16
_diffrn_reflns_limit_l_min        -18
_diffrn_reflns_limit_l_max        18
_diffrn_reflns_theta_min          1.45
_diffrn_reflns_theta_max          28.30
_reflns_number_total              7634
_reflns_number_gt                 6844
_reflns_threshold_expression      >2sigma(I)

_computing_data_collection        ?
_computing_cell_refinement        ?
_computing_data_reduction         ?
_computing_structure_solution     'SHELXS-97 (Sheldrick, 1990)'
_computing_structure_refinement   'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics     ?
_computing_publication_material   ?

_refine_special_details
;
Refinement of F^2^ against ALL reflections.  The weighted R-factor wR and
goodness of fit S are based on F^2^, conventional R-factors R are based
on F, with F set to zero for negative F^2^. The threshold expression of
F^2^ > 2sigma(F^2^) is used only for calculating R-factors(gt) etc. and is
not relevant to the choice of reflections for refinement.  R-factors based
on F^2^ are statistically about twice as large as those based on F, and R-
factors based on ALL data will be even larger.
;

_refine_ls_structure_factor_coef  Fsqd
_refine_ls_matrix_type            full
_refine_ls_weighting_scheme
'calc w=1/[\s^2^(Fo^2^)+(0.0337P)^2^+1.2121P] where P=(Fo^2^+2Fc^2^)/3'
_atom_sites_solution_primary      direct
_atom_sites_solution_secondary    difmap
_atom_sites_solution_hydrogens    geom
_refine_ls_hydrogen_treatment     mixed
_refine_ls_extinction_method      none
_refine_ls_extinction_coef        ?
_refine_ls_number_reflns          7634
_refine_ls_number_parameters      469
_refine_ls_number_restraints      0
_refine_ls_R_factor_all           0.0342
_refine_ls_R_factor_gt            0.0293
_refine_ls_wR_factor_ref          0.0749
_refine_ls_wR_factor_gt           0.0726
_refine_ls_goodness_of_fit_ref    1.048
_refine_ls_restrained_S_all       1.048
_refine_ls_shift/su_max           0.003
_refine_ls_shift/su_mean          0.000

loop_
_atom_site_label
```

```
_atom_site_type_symbol
_atom_site_fract_x
_atom_site_fract_y
_atom_site_fract_z
_atom_site_U_iso_or_equiv
_atom_site_adp_type
_atom_site_occupancy
_atom_site_calc_flag
_atom_site_refinement_flags
_atom_site_disorder_assembly
_atom_site_disorder_group
Ru1 Ru 0.472833(17) 0.253630(13) 0.200615(11) 0.02147(5) Uani 1 d . . .
P1 P 0.22633(6) -0.19294(5) -0.56661(4) 0.03076(12) Uani 1 d . . .
F11 F 0.05815(16) -0.21778(14) -0.59992(11) 0.0486(4) Uani 1 d . . .
F12 F 0.17553(17) -0.25939(13) -0.47403(10) 0.0445(3) Uani 1 d . . .
F13 F 0.2372(2) -0.07620(13) -0.50922(11) 0.0526(4) Uani 1 d . . .
F14 F 0.39036(17) -0.17035(17) -0.53273(13) 0.0623(5) Uani 1 d . . .
F15 F 0.27299(18) -0.12768(14) -0.65956(11) 0.0514(4) Uani 1 d . . .
F16 F 0.20972(19) -0.31147(13) -0.62450(11) 0.0519(4) Uani 1 d . . .
N1 N 0.61998(18) 0.35782(14) 0.31341(12) 0.0233(3) Uani 1 d . . .
N2 N 0.66276(18) 0.31251(14) 0.13727(12) 0.0222(3) Uani 1 d . . .
N3 N 0.70704(18) 0.29206(14) 0.05128(12) 0.0238(3) Uani 1 d . . .
N4 N 0.90548(18) 0.40247(14) 0.15139(12) 0.0250(3) Uani 1 d . . .
N5 N 0.8836(2) 0.28772(16) -0.09728(13) 0.0317(4) Uani 1 d . . .
N6 N 1.1872(2) 0.39531(17) -0.06266(14) 0.0325(4) Uani 1 d . . .
N7 N 0.51227(18) 0.10566(14) 0.21685(12) 0.0237(3) Uani 1 d . . .
N8 N 0.34754(17) 0.14821(14) 0.08570(12) 0.0241(3) Uani 1 d . . .
N9 N 0.29003(19) 0.21262(15) 0.27340(13) 0.0275(4) Uani 1 d . . .
N10 N 0.41610(18) 0.39374(14) 0.18440(12) 0.0237(3) Uani 1 d . . .
C1 C 0.5878(2) 0.38271(19) 0.40124(15) 0.0298(4) Uani 1 d . . .
H1 H 0.4936 0.3455 0.4177 0.037(3) Uiso 1 calc R . .
C2 C 0.6887(3) 0.4611(2) 0.46814(16) 0.0347(5) Uani 1 d . . .
H2 H 0.6622 0.4765 0.5281 0.037(3) Uiso 1 calc R . .
C3 C 0.8293(3) 0.5166(2) 0.44514(16) 0.0346(5) Uani 1 d . . .
H3 H 0.8987 0.5699 0.4892 0.037(3) Uiso 1 calc R . .
C4 C 0.8653(2) 0.49134(18) 0.35519(15) 0.0295(4) Uani 1 d . . .
H4 H 0.9592 0.5276 0.3379 0.037(3) Uiso 1 calc R . .
C5 C 0.7594(2) 0.41131(17) 0.29137(14) 0.0243(4) Uani 1 d . . .
C6 C 0.7823(2) 0.37817(16) 0.19448(14) 0.0235(4) Uani 1 d . . .
C7 C 0.8526(2) 0.34758(16) 0.06333(14) 0.0234(4) Uani 1 d . . .
C8 C 0.9466(2) 0.34495(17) -0.01284(14) 0.0241(4) Uani 1 d . . .
C9 C 1.0973(2) 0.39877(19) 0.00310(15) 0.0290(4) Uani 1 d . . .
H9 H 1.1370 0.4389 0.0622 0.040(4) Uiso 1 calc R . .
C10 C 1.1236(3) 0.3387(2) -0.14681(17) 0.0349(5) Uani 1 d . . .
H10 H 1.1814 0.3346 -0.1954 0.040(4) Uiso 1 calc R . .
C11 C 0.9742(3) 0.2860(2) -0.16352(16) 0.0366(5) Uani 1 d . . .
H11 H 0.9348 0.2478 -0.2233 0.040(4) Uiso 1 calc R . .
C12 C 0.5996(2) 0.09080(18) 0.28685(16) 0.0309(5) Uani 1 d . . .
H12 H 0.6449 0.1506 0.3343 0.037(3) Uiso 1 calc R . .
C13 C 0.6248(3) -0.01000(19) 0.29106(17) 0.0345(5) Uani 1 d . . .
H13 H 0.6853 -0.0178 0.3408 0.037(3) Uiso 1 calc R . .
C14 C 0.5590(3) -0.09877(19) 0.22064(17) 0.0336(5) Uani 1 d . . .
H14 H 0.5761 -0.1667 0.2217 0.037(3) Uiso 1 calc R . .
C15 C 0.4674(2) -0.08564(18) 0.14844(16) 0.0291(4) Uani 1 d . . .
H15 H 0.4211 -0.1449 0.1008 0.037(3) Uiso 1 calc R . .
C16 C 0.4456(2) 0.01718(17) 0.14816(14) 0.0241(4) Uani 1 d . . .
C17 C 0.3501(2) 0.04079(17) 0.07523(15) 0.0240(4) Uani 1 d . . .
C18 C 0.2668(2) -0.04001(18) 0.00170(16) 0.0307(4) Uani 1 d . . .
H18 H 0.2709 -0.1128 -0.0044 0.041(4) Uiso 1 calc R . .
C19 C 0.1779(3) -0.0111(2) -0.06206(18) 0.0382(5) Uani 1 d . . .
H19 H 0.1203 -0.0644 -0.1111 0.041(4) Uiso 1 calc R . .
C20 C 0.1758(3) 0.0985(2) -0.05180(19) 0.0399(5) Uani 1 d . . .
H20 H 0.1171 0.1199 -0.0942 0.041(4) Uiso 1 calc R . .
C21 C 0.2616(2) 0.17558(19) 0.02183(17) 0.0329(5) Uani 1 d . . .
H21 H 0.2602 0.2493 0.0277 0.041(4) Uiso 1 calc R . .
C22 C 0.2240(3) 0.1123(2) 0.31081(18) 0.0390(5) Uani 1 d . . .
```

```
H22 H 0.2676 0.0582 0.3087 0.049(4) Uiso 1 calc R . .
C23 C 0.0944(3) 0.0869(2) 0.3521(2) 0.0492(7) Uani 1 d . . .
H23 H 0.0517 0.0169 0.3771 0.049(4) Uiso 1 calc R . .
C24 C 0.0290(3) 0.1668(2) 0.3557(2) 0.0481(7) Uani 1 d . . .
H24 H -0.0588 0.1511 0.3827 0.049(4) Uiso 1 calc R . .
C25 C 0.0955(3) 0.2704(2) 0.31862(18) 0.0385(5) Uani 1 d . . .
H25 H 0.0530 0.3253 0.3208 0.049(4) Uiso 1 calc R . .
C26 C 0.2259(2) 0.29205(18) 0.27820(15) 0.0273(4) Uani 1 d . . .
C27 C 0.3042(2) 0.39814(17) 0.23449(15) 0.0254(4) Uani 1 d . . .
C28 C 0.2696(2) 0.49553(19) 0.24191(17) 0.0320(5) Uani 1 d . . .
H28 H 0.1961 0.4983 0.2789 0.039(4) Uiso 1 calc R . .
C29 C 0.3451(2) 0.58859(19) 0.19399(18) 0.0356(5) Uani 1 d . . .
H29 H 0.3231 0.6545 0.1983 0.039(4) Uiso 1 calc R . .
C30 C 0.4536(3) 0.58215(19) 0.13970(18) 0.0345(5) Uani 1 d . . .
H30 H 0.5036 0.6428 0.1053 0.039(4) Uiso 1 calc R . .
C31 C 0.4872(2) 0.48419(18) 0.13707(16) 0.0289(4) Uani 1 d . . .
H31 H 0.5616 0.4809 0.1012 0.039(4) Uiso 1 calc R . .
O100 O 0.7746(4) -0.2115(3) -0.6550(2) 0.1086(11) Uani 1 d . . .
C100 C 0.6710(6) -0.2517(4) -0.5900(3) 0.0937(15) Uani 1 d . . .
H10A H 0.6971 -0.3023 -0.5511 0.088(8) Uiso 1 calc R . .
H10B H 0.5772 -0.2925 -0.6238 0.088(8) Uiso 1 calc R . .
H10C H 0.6676 -0.1880 -0.5501 0.088(8) Uiso 1 calc R . .

loop_
_atom_site_aniso_label
_atom_site_aniso_U_11
_atom_site_aniso_U_22
_atom_site_aniso_U_33
_atom_site_aniso_U_23
_atom_site_aniso_U_13
_atom_site_aniso_U_12
Ru1 0.02212(8) 0.01745(8) 0.02535(9) 0.00048(6) 0.00529(6) 0.00774(6)
P1 0.0320(3) 0.0314(3) 0.0284(3) 0.0010(2) 0.0041(2) 0.0114(2)
F11 0.0364(8) 0.0635(10) 0.0464(9) 0.0056(7) -0.0005(6) 0.0198(7)
F12 0.0580(9) 0.0458(8) 0.0352(8) 0.0118(6) 0.0108(7) 0.0233(7)
F13 0.0771(11) 0.0348(8) 0.0437(9) -0.0055(7) 0.0046(8) 0.0197(8)
F14 0.0342(8) 0.0835(13) 0.0659(12) 0.0043(10) -0.0016(8) 0.0193(8)
F15 0.0603(10) 0.0499(9) 0.0397(8) 0.0132(7) 0.0164(7) 0.0121(8)
F16 0.0707(11) 0.0425(9) 0.0466(9) -0.0063(7) 0.0093(8) 0.0271(8)
N1 0.0280(8) 0.0187(8) 0.0246(8) 0.0012(6) 0.0050(7) 0.0099(7)
N2 0.0241(8) 0.0202(8) 0.0231(8) -0.0005(6) 0.0042(6) 0.0092(6)
N3 0.0254(8) 0.0219(8) 0.0245(8) -0.0009(6) 0.0044(7) 0.0094(7)
N4 0.0255(8) 0.0241(8) 0.0253(9) 0.0006(7) 0.0046(7) 0.0093(7)
N5 0.0319(9) 0.0338(10) 0.0276(9) -0.0017(8) 0.0022(7) 0.0108(8)
N6 0.0304(9) 0.0383(10) 0.0323(10) 0.0071(8) 0.0089(8) 0.0150(8)
N7 0.0246(8) 0.0197(8) 0.0267(9) 0.0012(6) 0.0042(7) 0.0081(6)
N8 0.0212(8) 0.0221(8) 0.0289(9) 0.0022(7) 0.0047(7) 0.0076(6)
N9 0.0269(9) 0.0240(9) 0.0314(9) 0.0033(7) 0.0084(7) 0.0083(7)
N10 0.0244(8) 0.0206(8) 0.0261(8) -0.0015(6) 0.0033(7) 0.0087(6)
C1 0.0350(11) 0.0298(11) 0.0268(11) 0.0014(8) 0.0076(9) 0.0139(9)
C2 0.0455(13) 0.0361(12) 0.0258(11) -0.0010(9) 0.0075(9) 0.0189(10)
C3 0.0412(13) 0.0316(11) 0.0285(11) -0.0052(9) -0.0028(9) 0.0127(10)
C4 0.0307(11) 0.0273(10) 0.0292(11) -0.0011(8) 0.0016(9) 0.0102(9)
C5 0.0285(10) 0.0208(9) 0.0248(10) 0.0014(7) 0.0035(8) 0.0104(8)
C6 0.0250(9) 0.0201(9) 0.0255(10) 0.0001(7) 0.0022(8) 0.0089(7)
C7 0.0253(9) 0.0212(9) 0.0249(10) 0.0015(7) 0.0036(8) 0.0097(8)
C8 0.0284(10) 0.0218(9) 0.0246(10) 0.0041(7) 0.0049(8) 0.0114(8)
C9 0.0286(10) 0.0327(11) 0.0264(10) 0.0021(9) 0.0032(8) 0.0121(9)
C10 0.0417(13) 0.0382(12) 0.0322(12) 0.0092(10) 0.0148(10) 0.0207(10)
C11 0.0428(13) 0.0423(13) 0.0245(11) -0.0012(9) 0.0046(9) 0.0162(11)
C12 0.0357(11) 0.0248(10) 0.0301(11) -0.0007(8) -0.0022(9) 0.0102(9)
C13 0.0380(12) 0.0294(11) 0.0372(12) 0.0051(9) -0.0051(10) 0.0146(9)
C14 0.0381(12) 0.0227(10) 0.0414(13) 0.0038(9) -0.0003(10) 0.0136(9)
C15 0.0324(11) 0.0206(10) 0.0328(11) 0.0000(8) 0.0018(9) 0.0086(8)
C16 0.0235(9) 0.0208(9) 0.0263(10) 0.0008(8) 0.0041(8) 0.0061(7)
C17 0.0233(9) 0.0206(9) 0.0277(10) 0.0027(8) 0.0058(8) 0.0069(7)
```

```
C18 0.0331(11) 0.0229(10) 0.0335(11) -0.0007(8) 0.0017(9) 0.0080(8)
C19 0.0400(13) 0.0317(12) 0.0369(13) -0.0035(10) -0.0076(10) 0.0090(10)
C20 0.0399(13) 0.0380(13) 0.0425(14) 0.0019(11) -0.0099(11) 0.0178(11)
C21 0.0340(11) 0.0289(11) 0.0380(12) 0.0023(9) -0.0016(9) 0.0152(9)
C22 0.0442(13) 0.0297(12) 0.0464(14) 0.0102(10) 0.0192(11) 0.0141(10)
C23 0.0489(15) 0.0356(13) 0.0619(18) 0.0141(12) 0.0285(13) 0.0091(12)
C24 0.0369(13) 0.0495(15) 0.0571(17) 0.0074(13) 0.0269(12) 0.0114(11)
C25 0.0318(12) 0.0397(13) 0.0450(14) -0.0020(11) 0.0120(10) 0.0142(10)
C26 0.0259(10) 0.0268(10) 0.0286(10) -0.0011(8) 0.0042(8) 0.0096(8)
C27 0.0247(9) 0.0242(10) 0.0271(10) -0.0016(8) 0.0013(8) 0.0097(8)
C28 0.0306(11) 0.0313(11) 0.0363(12) -0.0055(9) 0.0011(9) 0.0159(9)
C29 0.0353(12) 0.0241(10) 0.0496(14) -0.0024(10) -0.0024(10) 0.0157(9)
C30 0.0370(12) 0.0226(10) 0.0423(13) 0.0047(9) 0.0009(10) 0.0091(9)
C31 0.0285(10) 0.0246(10) 0.0333(11) 0.0034(8) 0.0054(9) 0.0089(8)
O100 0.101(2) 0.162(3) 0.096(2) 0.040(2) 0.0257(19) 0.080(2)
C100 0.137(4) 0.106(3) 0.080(3) 0.043(3) 0.042(3) 0.083(3)

_geom_special_details
;
All esds (except the esd in the dihedral angle between two l.s. planes)
are estimated using the full covariance matrix.  The cell esds are taken
into account individually in the estimation of esds in distances, angles
and torsion angles; correlations between esds in cell parameters are only
used when they are defined by crystal symmetry.  An approximate (isotropic)
treatment of cell esds is used for estimating esds involving l.s. planes.
;

loop_
_geom_bond_atom_site_label_1
_geom_bond_atom_site_label_2
_geom_bond_distance
_geom_bond_site_symmetry_2
_geom_bond_publ_flag
Ru1 N2 2.0398(16) . ?
Ru1 N8 2.0488(17) . ?
Ru1 N9 2.0525(17) . ?
Ru1 N10 2.0579(16) . ?
Ru1 N7 2.0603(16) . ?
Ru1 N1 2.1033(17) . ?
P1 F14 1.5823(16) . ?
P1 F13 1.5925(15) . ?
P1 F15 1.5963(15) . ?
P1 F16 1.5991(15) . ?
P1 F12 1.6053(15) . ?
P1 F11 1.6132(15) . ?
N1 C1 1.343(3) . ?
N1 C5 1.363(3) . ?
N2 C6 1.348(3) . ?
N2 N3 1.355(2) . ?
N3 C7 1.348(3) . ?
N4 C6 1.340(3) . ?
N4 C7 1.356(3) . ?
N5 C11 1.338(3) . ?
N5 C8 1.340(3) . ?
N6 C9 1.333(3) . ?
N6 C10 1.336(3) . ?
N7 C12 1.342(3) . ?
N7 C16 1.362(3) . ?
N8 C21 1.349(3) . ?
N8 C17 1.359(2) . ?
N9 C22 1.351(3) . ?
N9 C26 1.366(3) . ?
N10 C31 1.345(3) . ?
N10 C27 1.365(3) . ?
C1 C2 1.380(3) . ?
C2 C3 1.381(3) . ?
```

```
C3 C4 1.387(3) . ?
C4 C5 1.385(3) . ?
C5 C6 1.458(3) . ?
C7 C8 1.470(3) . ?
C8 C9 1.393(3) . ?
C10 C11 1.381(3) . ?
C12 C13 1.382(3) . ?
C13 C14 1.379(3) . ?
C14 C15 1.383(3) . ?
C15 C16 1.387(3) . ?
C16 C17 1.474(3) . ?
C17 C18 1.391(3) . ?
C18 C19 1.379(3) . ?
C19 C20 1.384(3) . ?
C20 C21 1.378(3) . ?
C22 C23 1.380(3) . ?
C23 C24 1.380(4) . ?
C24 C25 1.382(4) . ?
C25 C26 1.386(3) . ?
C26 C27 1.474(3) . ?
C27 C28 1.387(3) . ?
C28 C29 1.383(3) . ?
C29 C30 1.379(3) . ?
C30 C31 1.387(3) . ?
O100 C100 1.396(5) . ?

loop_
_geom_angle_atom_site_label_1
_geom_angle_atom_site_label_2
_geom_angle_atom_site_label_3
_geom_angle
_geom_angle_site_symmetry_1
_geom_angle_site_symmetry_3
_geom_angle_publ_flag
N2 Ru1 N8 96.92(6) . . ?
N2 Ru1 N9 173.35(7) . . ?
N8 Ru1 N9 88.76(7) . . ?
N2 Ru1 N10 96.79(6) . . ?
N8 Ru1 N10 98.70(7) . . ?
N9 Ru1 N10 78.87(7) . . ?
N2 Ru1 N7 87.28(6) . . ?
N8 Ru1 N7 78.72(7) . . ?
N9 Ru1 N7 97.25(7) . . ?
N10 Ru1 N7 175.45(6) . . ?
N2 Ru1 N1 77.98(6) . . ?
N8 Ru1 N1 173.94(6) . . ?
N9 Ru1 N1 96.54(7) . . ?
N10 Ru1 N1 85.25(6) . . ?
N7 Ru1 N1 97.64(6) . . ?
F14 P1 F13 91.09(10) . . ?
F14 P1 F15 91.50(10) . . ?
F13 P1 F15 90.41(9) . . ?
F14 P1 F16 90.72(10) . . ?
F13 P1 F16 178.13(10) . . ?
F15 P1 F16 90.05(9) . . ?
F14 P1 F12 89.82(9) . . ?
F13 P1 F12 89.70(8) . . ?
F15 P1 F12 178.68(9) . . ?
F16 P1 F12 89.80(9) . . ?
F14 P1 F11 178.98(10) . . ?
F13 P1 F11 89.24(9) . . ?
F15 P1 F11 89.47(9) . . ?
F16 P1 F11 88.94(9) . . ?
F12 P1 F11 89.22(8) . . ?
C1 N1 C5 117.75(18) . . ?
C1 N1 Ru1 126.61(15) . . ?
```

C5 N1 Ru1 115.45(13) . . ?
C6 N2 N3 107.46(16) . . ?
C6 N2 Ru1 116.13(13) . . ?
N3 N2 Ru1 135.86(13) . . ?
C7 N3 N2 103.64(16) . . ?
C6 N4 C7 100.82(16) . . ?
C11 N5 C8 115.9(2) . . ?
C9 N6 C10 115.8(2) . . ?
C12 N7 C16 118.22(17) . . ?
C12 N7 Ru1 125.85(14) . . ?
C16 N7 Ru1 115.91(13) . . ?
C21 N8 C17 118.03(18) . . ?
C21 N8 Ru1 125.76(14) . . ?
C17 N8 Ru1 116.19(13) . . ?
C22 N9 C26 118.09(18) . . ?
C22 N9 Ru1 125.82(15) . . ?
C26 N9 Ru1 115.95(14) . . ?
C31 N10 C27 118.25(17) . . ?
C31 N10 Ru1 125.94(14) . . ?
C27 N10 Ru1 115.49(13) . . ?
N1 C1 C2 122.8(2) . . ?
C1 C2 C3 119.4(2) . . ?
C2 C3 C4 118.8(2) . . ?
C5 C4 C3 119.1(2) . . ?
N1 C5 C4 122.20(19) . . ?
N1 C5 C6 113.20(17) . . ?
C4 C5 C6 124.58(19) . . ?
N4 C6 N2 113.06(17) . . ?
N4 C6 C5 130.20(18) . . ?
N2 C6 C5 116.74(17) . . ?
N3 C7 N4 115.01(17) . . ?
N3 C7 C8 122.04(18) . . ?
N4 C7 C8 122.92(18) . . ?
N5 C8 C9 120.96(19) . . ?
N5 C8 C7 118.29(18) . . ?
C9 C8 C7 120.74(19) . . ?
N6 C9 C8 122.9(2) . . ?
N6 C10 C11 121.7(2) . . ?
N5 C11 C10 122.8(2) . . ?
N7 C12 C13 122.5(2) . . ?
C14 C13 C12 119.2(2) . . ?
C13 C14 C15 119.2(2) . . ?
C14 C15 C16 119.0(2) . . ?
N7 C16 C15 121.83(19) . . ?
N7 C16 C17 114.32(17) . . ?
C15 C16 C17 123.85(18) . . ?
N8 C17 C18 121.80(19) . . ?
N8 C17 C16 114.80(17) . . ?
C18 C17 C16 123.39(18) . . ?
C19 C18 C17 119.4(2) . . ?
C18 C19 C20 118.9(2) . . ?
C21 C20 C19 119.4(2) . . ?
N8 C21 C20 122.5(2) . . ?
N9 C22 C23 122.7(2) . . ?
C24 C23 C22 119.0(2) . . ?
C23 C24 C25 119.2(2) . . ?
C24 C25 C26 119.6(2) . . ?
N9 C26 C25 121.4(2) . . ?
N9 C26 C27 114.42(17) . . ?
C25 C26 C27 124.1(2) . . ?
N10 C27 C28 121.5(2) . . ?
N10 C27 C26 114.44(17) . . ?
C28 C27 C26 124.10(19) . . ?
C29 C28 C27 119.5(2) . . ?
C30 C29 C28 119.0(2) . . ?
C29 C30 C31 119.2(2) . . ?

```
N10 C31 C30 122.4(2) . . ?

_diffrn_measured_fraction_theta_max    0.945
_diffrn_reflns_theta_full              28.30
_diffrn_measured_fraction_theta_full   0.945
_refine_diff_density_max    0.702
_refine_diff_density_min   -0.524
_refine_diff_density_rms    0.064
```